

ALDON CORPORATION 800-942-5366 MATERIAL SAFETY DATA SHEET

Hazard Rating:

4=extreme Fire = 0  
 3=high Toxicity = 2  
 2=moderate Reactivity = 0  
 1=slight Special =  
 0=insignificant

Emergency number 800-535-5053 or 352-323-3500

I. GENERAL INFORMATION

PRODUCT NAME : "Aldon CRYSTAL GLAZE"  
 MANUFACTURER : Aldon Corporation  
 DOT HAZARD CLASSIFICATION: Non Hazardous CHEMICAL FAMILY: Mixture  
 EFFECTIVE DATE: 7/7/2000

II. HAZARDOUS INGREDIENTS

MATERIAL	CAS#	AMOUNT	TLV
Dipropylene Glycol Monomethyl Ether	034590-94-8	1 - 5	100 ppm
Diethylene Glycol Methyl Ether	00111-77-3	less than 5 %	None established

III. PHYSICAL DATA

BOILING POINT (DEGREES F): High n/a SPECIFIC GRAVITY (WATER=1): 1  
 VAPOR PRESSURE(MM HG.) : 17.5 @ 25 deg C PERCENT VOLATILE : 82  
 VAPOR DENSITY(AIR=1) : <1 EVAPORATION RATE (WATER=1): 1  
 SOLUBILITY IN WATER : Disperses REACTIVITY IN WATER : none  
 APPEAR.& ODOR : Emulsion, slight odor PH: 7.1

This product contains no reported carcinogens or suspected carcinogens.

IV. FIRE & EXPLOSION HAZARD DATA

FLASH POINT (TEST METHOD): greater than 200 degrees F - Setflash closed tester  
 FLAMMABLE LIMITS: LEL/UEL : not applicable  
 AUTO IGNITION TEMPERATURE : not applicable  
 EXTINGUISHING MEDIA : dry chemical,CO2, foam, water spray, water  
 SPECIAL FIRE FIGHTING PROCEDURES: none  
 UNUSUAL FIRE & EXPLOSION HAZARDS: Although non-flammable, toxic vapors and gases may be released upon burning.

V. HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE OF PRODUCT	OSHA TEV	ACGTH TLV	CARCINOGEN
NE SEE SECTION II	NONE		

SYMPTOMS OF EXPOSURE AND ROUTES OF ENTRY:

Eyes: May cause eye irritation.



nearest eye wash/safety shower location.  
DISPOSAL OF EMPTY CONTAINERS: Triple rinse empty containers before returning to vendor. Drum reconditioner or disposal in acceptable dump site. Caps and bungs should be placed on empty containers.

=====

X. USER'S RESPONSIBILITY

=====

The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment.

=====

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.